

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



PHOS2, 750T, cobas c pack green

Version
3.2

Revision Date:
10.12.2024

Date of last issue: 10.12.2024
Date of first issue: 18.04.2018

Cover letter for product:

Trade name : PHOS2, 750T, cobas c pack green
Product code : 08058610214

The product is sold as a kit, and contains the following components:

- R1
- R2/R3/SR

The following is an overview of the labeling elements of the kit:

GHS label elements

Hazard pictograms :



Signal word :

Danger

Hazard statements :

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.

Precautionary statements :

Prevention:

P234 Keep only in original packaging.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P363 Wash contaminated clothing before reuse.
P390 Absorb spillage to prevent material damage.

Storage:

P405 Store locked up.
P406 Store in a corrosion resistant container with a resistant inner liner.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



PHOS2, 750T, cobas c pack green

Version
3.2

Revision Date:
10.12.2024

Date of last issue: 10.12.2024
Date of first issue: 18.04.2018

The product was evaluated per International Air Transport Association (IATA) specifications with the following outcome:

UN 2796 SULPHURIC ACID, 8, II

PHOS2, 750T, cobas c pack greenVersion
3.2Revision Date:
10.12.2024Date of last issue: 10.12.2024
Date of first issue: 18.04.2018**SECTION 1: IDENTIFICATION**

Product name : R1

Manufacturer or supplier's detailsCompany : Roche Diagnostics Australia
Pty LimitedAddress : 2 Julius Avenue
North Ryde, NSW 2113, Australia
Australia

Telephone : +61 2 9860 2222

Emergency telephone number:

Emergency contact: : National Support Centre: Tel. 1800 645 619
Follow Voice Prompts

E-mail address : australia.qra@roche.com

Telefax : +61 2 9860 2111

Recommended use of the chemical and restrictions on useRecommended use : Laboratory chemicals
Refer to product literature for further details.**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Corrosive to metals : Category 1

Skin corrosion/irritation : Category 1

Serious eye damage/eye
irritation : Category 1**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.Precautionary statements : **Prevention:**
P234 Keep only in original packaging.

PHOS2, 750T, cobas c pack green
Version
3.2Revision Date:
10.12.2024Date of last issue: 10.12.2024
Date of first issue: 18.04.2018

P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P363 Wash contaminated clothing before reuse.

P390 Absorb spillage to prevent material damage.

Storage:

P405 Store locked up.

P406 Store in a corrosion resistant container with a resistant inner liner.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Sulfuric acid	7664-93-9	>= 3 -< 5

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : Move to fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

PHOS2, 750T, cobas c pack green
Version
3.2Revision Date:
10.12.2024Date of last issue: 10.12.2024
Date of first issue: 18.04.2018

- In case of skin contact : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
Rinse mouth with water.
- Most important symptoms and effects, both acute and delayed : Causes serious eye damage.
Causes severe burns.
Causes serious eye damage.
Causes severe burns.
- Notes to physician : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Sulphur oxides
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

PHOS2, 750T, cobas c pack greenVersion
3.2Revision Date:
10.12.2024Date of last issue: 10.12.2024
Date of first issue: 18.04.2018

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Hazchem Code : 2R

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.
Use neutralizing agents.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
To prevent leaks or spillages from spreading, provide a suitable liquid retention system.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : See label, package insert or internal guidelines

PHOS2, 750T, cobas c pack green
Version
3.2Revision Date:
10.12.2024Date of last issue: 10.12.2024
Date of first issue: 18.04.2018

Materials to avoid : Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Sulfuric acid	7664-93-9	TWA	1 mg/m ³	AU OEL
		STEL	3 mg/m ³	AU OEL
		TWA (Thoracic particulate matter)	0.2 mg/m ³	ACGIH

Engineering measures : No data available

Personal protective equipment

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.

Hand protection

In case of contact through splashing:

Material : Nitrile rubber
Break through time : > 30 min
Glove thickness : > 0.11 mm

In case of full contact:

Material : butyl-rubber
Break through time : > 480 min
Glove thickness : > 0.4 mm

Remarks : The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. This recommendation is only valid for the product mentioned in the safety data sheet and provided by us and for the application specified by us. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

PHOS2, 750T, cobas c pack greenVersion
3.2Revision Date:
10.12.2024Date of last issue: 10.12.2024
Date of first issue: 18.04.2018

-
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.
- Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : colourless
- Odour : No data available
- Odour Threshold : No data available
- pH : 1 - 2
Concentration: 100 %
- Melting point/ range : -1 °C
- Boiling point/boiling range : 95 - 105 °C
- Flash point : does not flash
- Evaporation rate : No data available
- Flammability (solid, gas) : The product is not flammable., Does not sustain combustion.
- Flammability (liquids) : Does not sustain combustion.
- Self-ignition : No data available
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Vapour pressure : No data available
- Relative vapour density : No data available

PHOS2, 750T, cobas c pack greenVersion
3.2Revision Date:
10.12.2024Date of last issue: 10.12.2024
Date of first issue: 18.04.2018

Relative density	:	No data available
Density	:	1.0222 g/cm ³
Solubility(ies)		
Water solubility	:	completely miscible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Metal corrosion rate	:	Corrosive to metals

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	No data available
Incompatible materials	:	Bases
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Not classified due to lack of data.

PHOS2, 750T, cobas c pack greenVersion
3.2Revision Date:
10.12.2024Date of last issue: 10.12.2024
Date of first issue: 18.04.2018

Not classified due to lack of data.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:**Sulfuric acid:**

Acute oral toxicity : LD50 Oral (Rat): 2,140 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.51 mg/l
Exposure time: 2 h
Test atmosphere: vapour

LC50 (Mouse): 0.32 mg/l
Exposure time: 2 h
Test atmosphere: vapour

Skin corrosion/irritation

Causes severe burns.
Causes severe burns.

Product:

Remarks : Extremely corrosive and destructive to tissue.

Components:**Sulfuric acid:**

Result : Corrosive after 3 minutes or less of exposure

Serious eye damage/eye irritation

Causes serious eye damage.
Causes serious eye damage.

Product:

Remarks : May cause irreversible eye damage.

Components:**Sulfuric acid:**

Result : Risk of serious damage to eyes.

Respiratory or skin sensitisation**Skin sensitisation**

Not classified due to lack of data.

Skin sensitisation

Not classified due to lack of data.

PHOS2, 750T, cobas c pack greenVersion
3.2Revision Date:
10.12.2024Date of last issue: 10.12.2024
Date of first issue: 18.04.2018**Respiratory sensitisation**

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Chronic toxicity**Germ cell mutagenicity**

Not classified due to lack of data.

Not classified due to lack of data.

Components:**Sulfuric acid:**

Genotoxicity in vitro : Test Type: Ames test
Result: negative
Remarks: In vitro tests did not show mutagenic effects

Carcinogenicity

Not classified due to lack of data.

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

Not classified due to lack of data.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:****Ecotoxicology Assessment**

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to the environment : No data available

PHOS2, 750T, cobas c pack green
Version
3.2Revision Date:
10.12.2024Date of last issue: 10.12.2024
Date of first issue: 18.04.2018**Components:****Sulfuric acid:**

- Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 25 mg/l
Exposure time: 24 h
- LC50 (Lepomis macrochirus (Bluegill sunfish)): 18 - 28 mg/l
Exposure time: 96 h
Method: No information available.
- LC0 (Fish): 6.3 mg/l
Exposure time: 24 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
End point: Growth rate
Test Type: static test
Method: OECD Test Guideline 201

Ecotoxicology Assessment

- Toxicity Data on Soil : Not expected to adsorb on soil.
- Other organisms relevant to the environment : No data available

Persistence and degradability

No data available

Bioaccumulative potential**Components:****Sulfuric acid:**

- Partition coefficient: n-octanol/water : Remarks: No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

- Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

PHOS2, 750T, cobas c pack green
Version
3.2Revision Date:
10.12.2024Date of last issue: 10.12.2024
Date of first issue: 18.04.2018

Can be disposed as waste water, when in compliance with local regulations.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION
International Regulations
UNRTDG

UN number : UN 2796
Proper shipping name : SULPHURIC ACID
Class : 8
Packing group : II
Labels : 8
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 2796
Proper shipping name : Sulphuric acid
Class : 8
Packing group : II
Labels : Corrosive
Packing instruction (cargo aircraft) : 855
Packing instruction (passenger aircraft) : 851

IMDG-Code

UN number : UN 2796
Proper shipping name : SULPHURIC ACID
Class : 8
Packing group : II
Labels : 8
EmS Code : F-A, S-B
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

National Regulations
ADG

UN number : UN 2796
Proper shipping name : SULPHURIC ACID
Class : 8
Packing group : II
Labels : 8

PHOS2, 750T, cobas c pack green
Version
3.2Revision Date:
10.12.2024Date of last issue: 10.12.2024
Date of first issue: 18.04.2018Hazchem Code : 2R
Environmentally hazardous : no**Special precautions for user**

Remarks : No data available

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Therapeutic Goods (Poisons Standard) Instrument : Schedule 6 (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

The components of this product are reported in the following inventories:

AIIC : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

NZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

TECI : On the inventory, or in compliance with the inventory

PHOS2, 750T, cobas c pack green
Version
3.2Revision Date:
10.12.2024Date of last issue: 10.12.2024
Date of first issue: 18.04.2018
SECTION 16: ANY OTHER RELEVANT INFORMATION

Revision Date : 10.12.2024

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
 AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA : 8-hour, time-weighted average
 AU OEL / TWA : Exposure standard - time weighted average
 AU OEL / STEL : Exposure standard - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOErC - No Observed Effect Concentration based on growth rate; NOEyC - No Observed Effect Concentration based on yield; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is

PHOS2, 750T, cobas c pack greenVersion
3.2Revision Date:
10.12.2024Date of last issue: 10.12.2024
Date of first issue: 18.04.2018

not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN / 2304

PHOS2, 750T, cobas c pack greenVersion
3.2Revision Date:
10.12.2024Date of last issue: 10.12.2024
Date of first issue: 18.04.2018**SECTION 1: IDENTIFICATION**

Product name : R2/R3/SR

Manufacturer or supplier's detailsCompany : Roche Diagnostics Australia
Pty LimitedAddress : 2 Julius Avenue
North Ryde, NSW 2113, Australia
Australia

Telephone : +61 2 9860 2222

Emergency telephone number:

Emergency contact: : National Support Centre: Tel. 1800 645 619
Follow Voice Prompts

E-mail address : australia.qra@roche.com

Telefax : +61 2 9860 2111

Recommended use of the chemical and restrictions on useRecommended use : Laboratory chemicals
Refer to product literature for further details.**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Corrosive to metals : Category 1

Skin corrosion/irritation : Category 1

Serious eye damage/eye
irritation : Category 1**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.Precautionary statements : **Prevention:**
P234 Keep only in original packaging.

PHOS2, 750T, cobas c pack green
Version
3.2Revision Date:
10.12.2024Date of last issue: 10.12.2024
Date of first issue: 18.04.2018

P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P363 Wash contaminated clothing before reuse.

P390 Absorb spillage to prevent material damage.

Storage:

P405 Store locked up.

P406 Store in a corrosion resistant container with a resistant inner liner.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Sulfuric acid	7664-93-9	>= 3 -< 5

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : Move to fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

PHOS2, 750T, cobas c pack green

Version
3.2

Revision Date:
10.12.2024

Date of last issue: 10.12.2024
Date of first issue: 18.04.2018

- In case of skin contact : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
Rinse mouth with water.
- Most important symptoms and effects, both acute and delayed : Causes serious eye damage.
Causes severe burns.
- Notes to physician : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Sulphur oxides
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

PHOS2, 750T, cobas c pack greenVersion
3.2Revision Date:
10.12.2024Date of last issue: 10.12.2024
Date of first issue: 18.04.2018

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Hazchem Code : 2R

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.
Use neutralizing agents.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
To prevent leaks or spillages from spreading, provide a suitable liquid retention system.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : See label, package insert or internal guidelines

Materials to avoid : Keep away from oxidizing agents, strongly alkaline and

PHOS2, 750T, cobas c pack green
Version
3.2Revision Date:
10.12.2024Date of last issue: 10.12.2024
Date of first issue: 18.04.2018

strongly acid materials in order to avoid exothermic reactions.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Sulfuric acid	7664-93-9	TWA	1 mg/m ³	AU OEL
		STEL	3 mg/m ³	AU OEL
		TWA (Thoracic particulate matter)	0.2 mg/m ³	ACGIH

Engineering measures : No data available

Personal protective equipment

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.

Hand protection

In case of contact through splashing:

Material : Nitrile rubber
Break through time : > 30 min
Glove thickness : > 0.11 mm

In case of full contact:

Material : butyl-rubber
Break through time : > 480 min
Glove thickness : > 0.4 mm

Remarks : The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. This recommendation is only valid for the product mentioned in the safety data sheet and provided by us and for the application specified by us. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

PHOS2, 750T, cobas c pack greenVersion
3.2Revision Date:
10.12.2024Date of last issue: 10.12.2024
Date of first issue: 18.04.2018

-
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.
- Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : colourless
- Odour : No data available
- Odour Threshold : No data available
- pH : 1 - 2
Concentration: 100 %
- Melting point/range : -1 °C
- Boiling point/boiling range : 95 - 105 °C
- Flash point : does not flash
- Evaporation rate : No data available
- Flammability (solid, gas) : The product is not flammable., Does not sustain combustion.
- Flammability (liquids) : Does not sustain combustion.
- Self-ignition : No data available
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Vapour pressure : No data available
- Relative vapour density : No data available

PHOS2, 750T, cobas c pack greenVersion
3.2Revision Date:
10.12.2024Date of last issue: 10.12.2024
Date of first issue: 18.04.2018

Relative density	:	No data available
Density	:	1.0314 g/cm ³ (20 °C)
Solubility(ies)	:	
Water solubility	:	completely miscible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Metal corrosion rate	:	Corrosive to metals

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	No data available
Incompatible materials	:	Bases
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Not classified due to lack of data.

PHOS2, 750T, cobas c pack greenVersion
3.2Revision Date:
10.12.2024Date of last issue: 10.12.2024
Date of first issue: 18.04.2018**Components:****Sulfuric acid:**

Acute oral toxicity : LD50 Oral (Rat): 2,140 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.51 mg/l
Exposure time: 2 h
Test atmosphere: vapourLC50 (Mouse): 0.32 mg/l
Exposure time: 2 h
Test atmosphere: vapour**Skin corrosion/irritation**

Causes severe burns.

Product:

Remarks : Extremely corrosive and destructive to tissue.

Components:**Sulfuric acid:**

Result : Corrosive after 3 minutes or less of exposure

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks : May cause irreversible eye damage.

Components:**Sulfuric acid:**

Result : Risk of serious damage to eyes.

Respiratory or skin sensitisation**Skin sensitisation**

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Chronic toxicity**Germ cell mutagenicity**

Not classified due to lack of data.

Components:**Sulfuric acid:**

PHOS2, 750T, cobas c pack greenVersion
3.2Revision Date:
10.12.2024Date of last issue: 10.12.2024
Date of first issue: 18.04.2018

Genotoxicity in vitro : Test Type: Ames test
Result: negative
Remarks: In vitro tests did not show mutagenic effects

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:****Ecotoxicology Assessment**

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to
the environment : No data available**Components:****Sulfuric acid:**Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 25 mg/l
Exposure time: 24 hLC50 (Gambusia affinis (Mosquito fish)): 42 mg/l
Exposure time: 96 hLC0 (Fish): 6.3 mg/l
Exposure time: 24 hToxicity to daphnia and other
aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 29 mg/l
Exposure time: 24 h**Ecotoxicology Assessment**

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to
the environment : No data available

PHOS2, 750T, cobas c pack green

 Version
3.2

 Revision Date:
10.12.2024

 Date of last issue: 10.12.2024
Date of first issue: 18.04.2018

Persistence and degradability

No data available

Bioaccumulative potential
Components:
Sulfuric acid:

 Partition coefficient: n-
octanol/water : Remarks: No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS
Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. Can be disposed as waste water, when in compliance with local regulations.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION
International Regulations
UNRTDG

 UN number : UN 2796
 Proper shipping name : SULPHURIC ACID
 Class : 8
 Packing group : II
 Labels : 8
 Environmentally hazardous : no

IATA-DGR

 UN/ID No. : UN 2796
 Proper shipping name : Sulphuric acid
 Class : 8
 Packing group : II
 Labels : Corrosive

PHOS2, 750T, cobas c pack green
Version
3.2Revision Date:
10.12.2024Date of last issue: 10.12.2024
Date of first issue: 18.04.2018Packing instruction (cargo
aircraft) : 855Packing instruction
(passenger aircraft) : 851**IMDG-Code**

UN number : UN 2796

Proper shipping name : SULPHURIC ACID

Class : 8

Packing group : II

Labels : 8

EmS Code : F-A, S-B

Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

National Regulations**ADG**

UN number : UN 2796

Proper shipping name : SULPHURIC ACID

Class : 8

Packing group : II

Labels : 8

Hazchem Code : 2R

Environmentally hazardous : no

Special precautions for user

Remarks : No data available

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Standard for the Uniform : Schedule 6 (Please use the original publication of the SUSMP
Scheduling of Medicines and : to check for specific uses, specific conditions or threshold
Poisons : limits that might apply for this chemical)

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

PHOS2, 750T, cobas c pack green
Version
3.2Revision Date:
10.12.2024Date of last issue: 10.12.2024
Date of first issue: 18.04.2018
The components of this product are reported in the following inventories:

AIIC	:	On the inventory, or in compliance with the inventory
DSL	:	All components of this product are on the Canadian DSL
NZIoC	:	On the inventory, or in compliance with the inventory
ENCS	:	On the inventory, or in compliance with the inventory
ISHL	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	All substances listed as active on the TSCA inventory
TECI	:	On the inventory, or in compliance with the inventory

SECTION 16: ANY OTHER RELEVANT INFORMATION

Revision Date : 10.12.2024

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
AU OEL	:	Australia. Workplace Exposure Standards for Airborne Contaminants.
ACGIH / TWA	:	8-hour, time-weighted average
AU OEL / TWA	:	Exposure standard - time weighted average
AU OEL / STEL	:	Exposure standard - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and

PHOS2, 750T, cobas c pack greenVersion
3.2Revision Date:
10.12.2024Date of last issue: 10.12.2024
Date of first issue: 18.04.2018

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOErC - No Observed Effect Concentration based on growth rate; NOEyC - No Observed Effect Concentration based on yield; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN / 2304

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



PHOS2, 750T, cobas c pack green

Version
3.2

Revision Date:
10.12.2024

Date of last issue: 10.12.2024
Date of first issue: 18.04.2018
