



### Certificate of Analysis

**Product Name:** Glial Fibrillary Acidic Protein (EP672Y) Rabbit Monoclonal Antibody  
**Catalog Number(s):** 760-4345  
**Roche Part Number:** 05269784001  
**Lot Number:** V0000861  
**Date of Manufacture:** 2017-07-25  
**Expiration Date:** 2020-06-30

Test	Acceptance Criteria	Results
Functional testing on the following tissue(s): Brain	Intensity difference between sample and a reference must be less than or equal to 0.5	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
	Background difference between sample and a reference must be less than or equal to 0.5	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
Appearance	Transparent liquid and free of visible foreign material.	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
Bioburden	Visible bacterial colonies must be less than 100CFU/mL.	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
ELISA	1.0-10.0 µg/mL	8.52 µg/mL
Source	N/A	Supernatant

Additional information: N/A



Authorized Signature:  Date: 08/28/17  
Quality Assurance Representative

Issued: 6/3/16 Rev 1.0

Document #QF0901-008-02 [CM Legacy #]

Manufactured by: Cell Marque Corporation  
6600 Sierra College Boulevard • Rocklin, California 95677 • USA • Telephone (916) 746-8900 • Fax (916) 746-8976