

Customer Address:

Customer Number : 2049990013 Customer Mat # : 06433189001 Roche Diagnostics Corporation Accounts Payable Po Box 50457 INDIANAPOLIS IN 46250-0417 UNITED STATES

Certificate of Analysis

Product Name : Product Number :	DOG1 (SP31) Rabbit Monoclonal Antibody 760-4590	
Batch Number :	V0003428	
Source Batch :	0000183136	
Storage Temperature :	2°C - 8°C	
Expiry Date :	2025-06-30	
Quality Release Date :	2022-08-03	
Date of Manufacture :	2022-07-06	

Test	Specification	Result
Appearance (Turbidity)	Free of Visible Foreign Material	Free of Visible Foreign Material
Appearance (Color)	Green Transparent	Green Transparent
Appearance (Form)	Liquid	Liquid
IHC Staining	Pass	Pass
Intensity difference between sample and a reference must be less than or equal to 0.5.		
IHC Staining Background difference between sample and a reference must be less than or equal to 0.5.	Pass	Pass
IHC - Tissue	Tissue Type	Gastrointestinal Stromal Tumor
ELISA Titer	0.1 - 1.5 μg/ml	0.9 µg/ml
Bioburden Visible bacterial colonies must be less than 100 CFU/mL.	Pass	Pass
Source	Supernatant	Supernatant

Cell Marque[™] (a Sigma-Aldrich Company) warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. For further inquiries, please contact Technical/Customer Service. Purchase must determine the suitability of the product for its particular use. See website or packing slip for additional terms and conditions of sale.

Version Number: 01 Doc: 1087087 The branding on the header and/or footer of this document may temporarily net visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com





Product Batch 760-4590 V0003428

UN

Oliver Ghattas,Quality,QC Lab Technician II Quality Assurance Rocklin, California US

Cell Marque[™] (a Sigma-Aldrich Company) warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. For further inquiries, please contact Technical/Customer Service. Purchase must determine the suitability of the product for its particular use. See website or packing slip for additional terms and conditions of sale.

Version Number: 01 Doc: 1087087

Page 2 of 2



The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com