

beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

Cover letter for product:

Trade name : beta-Amyloid(1-42) G2 Elecsys cobas e 60

Product code : 08821909160

The product is sold as a kit, and contains the following components:

ABETA42 ELECSYS R1

ABETA42 ELECSYS R2 V2 / ABETA4
SA COAT-BEAD ELECSYS (BOTTLE)

The following is an overview of the labeling elements of the kit:

GHS label elements

Hazard pictograms

Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.

Precautionary Statements : Prevention:

P261 Avoid breathing mist or vapors.

P272 Contaminated work clothing must not be allowed out of

the workplace.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention.

P363 Wash contaminated clothing before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards

None known.

The product was evaluated per International Air Transport Association (IATA) specifications with the following outcome:

Not assigned by regulation



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

SECTION 1. IDENTIFICATION

Product name : ABETA42 ELECSYS R1

Manufacturer or supplier's details

Company name of supplier : Roche Diagnostics

-

Address : 9115 Hague Road

Indianapolis, IN 46250

USA

Telephone : 1-800-428-5074

Emergency telephone

In case of emergencies: : CHEMTREC 1-800-424-9300 (U.S. or

Canada) 1-703-527-3887 (International)

Recommended use of the chemical and restrictions on use

Recommended use : Laboratory chemicals

Refer to product literature for further details.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization : Category 1

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.

Precautionary Statements : Prevention:

P261 Avoid breathing mist or vapors.

P272 Contaminated work clothing must not be allowed out of

the workplace.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention.



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

P363 Wash contaminated clothing before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Albumins, blood serum	9048-46-8	>= 1 - < 5
3(2H)-Isothiazolone, 2-methyl-,	26172-54-3	>= 0.0015 - < 0.1
hydrochloride (1:1)		

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice Move out of dangerous area.

Show this material safety data sheet to the doctor in

attendance.

Do not leave the victim unattended.

If inhaled Move to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water.

In case of eye contact Immediately flush eye(s) with plenty of water.

> Remove contact lenses. Protect unharmed eve.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

Keep respiratory tract clear. If swallowed

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Rinse mouth with water.

Most important symptoms and effects, both acute and

delayed

May cause an allergic skin reaction.

Notes to physician The first aid procedure should be established in consultation



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

with the doctor responsible for industrial medicine.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

No information available.

Hazardous combustion

products

Oxides of phosphorus

Sodium oxides

Hazardous combustion products

Further information : Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Special protective equipment:

for fire-fighters

Wear self-contained breathing apparatus for firefighting if

necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Use personal protective equipment.

Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for

containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Dispose of rinse water in accordance with local and national

regulations.



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on storage conditions

: See label, package insert or internal guidelines

Further information on

storage stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : No data available

Personal protective equipment

Hand protection

In case of contact through splashing:

Material : Nitrile rubber
Break through time : > 30 min
Glove thickness : > 0.11 mm

In case of full contact:

Material : butyl-rubber
Break through time : > 480 min
Glove thickness : > 0.4 mm

Remarks : Wear appropriate protective gloves to prevent skin contact.

Replace torn or punctured gloves promptly.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

Hygiene measures : Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

Color : colorless

Odor : odorless

Odor Threshold : No data available

pH : 7.2 (77 °F / 25 °C)

Melting point/range : No data available

Boiling point/boiling range : 203 - 221 °F / 95 - 105 °C

Flash point : does not flash

Evaporation rate : No data available

Flammability (solid, gas) : The product is not flammable., Does not sustain combustion.

Flammability (liquids) : Does not sustain combustion.

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

: No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 1.014 g/cm3 (68 - 77 °F / 20 - 25 °C, 990 - 1,030 hPa)

Solubility(ies)

Water solubility : completely miscible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

No decomposition if stored and applied as directed.

Conditions to avoid : Exposure to light.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition

products

No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Components:

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Acute oral toxicity : LD50 Oral (Rat, female): 175 mg/kg

Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat, male and female): 0.11 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: Corrosive to the respiratory tract. Remarks: Based on data from similar materials

The value is given in analogy to the following substances: 2-

methyl-2H-isothiazol-3-one

Acute dermal toxicity : LD50 Dermal (Rat, male): 246 mg/kg

Method: OECD Test Guideline 402

Remarks: Based on data from similar materials

The value is given in analogy to the following substances: 2-

methyl-2H-isothiazol-3-one



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

Skin corrosion/irritation

Not classified due to lack of data.

Product:

Remarks : May cause skin irritation and/or dermatitis.

Components:

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Species : reconstructed human epidermis (RhE)

Method : OECD Test Guideline 431 Result : Causes severe burns.

Serious eye damage/eye irritation

Not classified due to lack of data.

Product:

Remarks : Vapors may cause irritation to the eyes, respiratory system

and the skin.

Components:

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Result : Risk of serious damage to eyes.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified due to lack of data.

Product:

Remarks : Causes sensitization.

Components:

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Test Type : Local lymph node assay (LLNA)
Method : OECD Test Guideline 429

Result : The product is a skin sensitizer, sub-category 1A. The value is given in analogy to the following substances: 2-methyl-2H-isothiazol-3-one

Test Type : Maximization Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : positive

Remarks : Based on data from similar materials

The value is given in analogy to the following substances: 2-methyl-2H-isothiazol-3-one



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

Germ cell mutagenicity

Not classified due to lack of data.

Components:

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476

Result: negative

The value is given in analogy to the following substances: 2-

methyl-2H-isothiazol-3-one

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse (male and female)

Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

The value is given in analogy to the following substances: 2-

methyl-2H-isothiazol-3-one

Test Type: unscheduled DNA synthesis assay

Species: Rat (male and female)

Application Route: Oral

Method: OECD Test Guideline 486

Result: negative

The value is given in analogy to the following substances: 2-

methyl-2H-isothiazol-3-one

Carcinogenicity

Not classified due to lack of data.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified due to lack of data.

Components:

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Effects on fetal development : Species: Rat



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

Application Route: Oral Dose: 40 mg/kg bw/day

Result: No effects on fetal development.

The value is given in analogy to the following substances: 2-

methyl-2H-isothiazol-3-one

STOT-single exposure

Not classified due to lack of data.

Components:

Albumins, blood serum:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT-repeated exposure

Not classified due to lack of data.

Components:

Albumins, blood serum:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Species : Rat

NOEL : 94 mg/kg bw/day

Application Route : Oral Exposure time : 90 d

Method : OECD Test Guideline 408

Remarks : No significant adverse effects were reported

No human information is available.

The value is given in analogy to the following substances: 2-methyl-2H-isothiazol-3-one

Species : Dog

NOAEL : 40.9 mg/kg bw/day

Application Route : Oral Exposure time : 90 d

Method : OECD Test Guideline 409

The value is given in analogy to the following substances: 2-methyl-2H-isothiazol-3-one

Aspiration toxicity

Not classified due to lack of data.

Further information

Components:

Albumins, blood serum:

Remarks : Health injuries are not known or expected under normal use.



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to

the environment

No data available

Components:

Albumins, blood serum:

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to

the environment

No data available

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.77 mg/l

Exposure time: 96 h

Test Type: flow-through test

Method: OECD Test Guideline 203

The value is given in analogy to the following substances: 2-

methyl-2H-isothiazol-3-one

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2.33 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.289

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

NOEC (Daphnia magna (Water flea)): 0.0442 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

The value is given in analogy to the following substances: 2-

methyl-2H-isothiazol-3-one



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

Persistence and degradability

Components:

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Biodegradability : aerobic

Result: Not readily biodegradable.

Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Bioaccumulative potential

Components:

Albumins, blood serum:

Partition coefficient: n-

octanol/water

: Remarks: No data available

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <=

4).

Partition coefficient: n-

octanol/water

log Pow: ca. -0.44 (68 °F / 20 °C) Method: OECD Test Guideline 107

Mobility in soilNo data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82

Protection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was

manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +

B).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Can be disposed as waste water, when in compliance with

local regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Domestic regulation

49 CFR

Not regulated as a dangerous good

Special precautions for user

Remarks : Not dangerous goods in the meaning of ADR/RID, ADN,

IMDG-Code, ICAO/IATA-DGR

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitization

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Sodium phosphate 10028-24-7 >= 1 - < 5 %

dibasic dihydrate

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section

307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

Sodium phosphate dibasic dihydrate 10028-24-7

Pennsylvania Right To Know

Water 7732-18-5 Sodium phosphate dibasic dihydrate 10028-24-7

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

The ingredients of this product are reported in the following inventories:

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

PAK<->R-IGG(DET)

hydroxyl-2-pyridone

MAB / PAB

NZIoC : Not in compliance with the inventory

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI: Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

TCSI : Not in compliance with the inventory



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

TSCA : Product contains substance(s) not listed on TSCA inventory.

TECI: Not in compliance with the inventory

TSCA list


No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship: RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 08-29-2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8 / 2304



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

SECTION 1. IDENTIFICATION

Product name : ABETA42 ELECSYS R2 V2 / ABETA4

Manufacturer or supplier's details

Company name of supplier : Roche Diagnostics

-

Address : 9115 Hague Road

Indianapolis, IN 46250

USA

Telephone : 1-800-428-5074

Emergency telephone

In case of emergencies: : CHEMTREC 1-800-424-9300 (U.S. or

Canada) 1-703-527-3887 (International)

Recommended use of the chemical and restrictions on use

Recommended use : Laboratory chemicals

Refer to product literature for further details.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization : Category 1

GHS label elements

Hazard pictograms :

Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.

Precautionary Statements : Prevention:

P261 Avoid breathing mist or vapors.

P272 Contaminated work clothing must not be allowed out of

the workplace.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention.



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

P363 Wash contaminated clothing before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
3(2H)-Isothiazolone, 2-methyl-,	26172-54-3	>= 0.0015 - < 0.1
hydrochloride (1:1)		
Thermo-BSA-Streptavidin, inact., rec.	Not Assigned	< 0.1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this material safety data sheet to the doctor in

attendance.

Do not leave the victim unattended.

If inhaled : Move to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Rinse mouth with water.

Most important symptoms and effects, both acute and

May cause an allergic skin reaction.

delayed

Notes to physician : The first aid procedure should be established in consultation



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

with the doctor responsible for industrial medicine.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

No information available.

Hazardous combustion

products

Carbon oxides

Oxides of phosphorus

Sodium oxides

Hazardous combustion products

Further information : Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Special protective equipment:

for fire-fighters

Wear self-contained breathing apparatus for firefighting if

necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Use personal protective equipment.

Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Dispose of rinse water in accordance with local and national



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

regulations.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on storage conditions

: See label, package insert or internal guidelines

Further information on

storage stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Thermo-BSA-Streptavidin, inact., rec.	Not Assigned	IOEL	50 nanogram per cubic meter	Category 3B (Roche Group Directive K1, Annex 3): OEL = 0.05 µg/m3

Engineering measures : No data available

Personal protective equipment

Hand protection

In case of contact through splashing:

Material : Nitrile rubber
Break through time : > 30 min
Glove thickness : > 0.11 mm

In case of full contact:

Material : butyl-rubber
Break through time : > 480 min
Glove thickness : > 0.4 mm

Remarks : Wear appropriate protective gloves to prevent skin contact.

Replace torn or punctured gloves promptly.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : colorless

Odor : none

Odor Threshold : No data available

pH : 7.10 - 7.30 (77 °F / 25 °C)

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : does not flash

Evaporation rate : No data available

Flammability (solid, gas) : The product is not flammable., Does not sustain combustion.

Flammability (liquids) : Does not sustain combustion.

Self-ignition : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 1.014 g/cm3

Solubility(ies)

Water solubility : completely miscible



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

No decomposition if stored and applied as directed.

Conditions to avoid : Exposure to light.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition

products

No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Components:

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Acute oral toxicity : LD50 Oral (Rat, female): 175 mg/kg

Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat, male and female): 0.11 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: Corrosive to the respiratory tract.



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

Remarks: Based on data from similar materials

The value is given in analogy to the following substances: 2-

methyl-2H-isothiazol-3-one

Acute dermal toxicity : LD50 Dermal (Rat, male): 246 mg/kg

Method: OECD Test Guideline 402

Remarks: Based on data from similar materials

The value is given in analogy to the following substances: 2-

methyl-2H-isothiazol-3-one

Thermo-BSA-Streptavidin, inact., rec.:

Acute oral toxicity : Acute toxicity estimate: > 5,001 mg/kg

Method: Expert judgment

Acute inhalation toxicity : Acute toxicity estimate: > 30 mg/l

Test atmosphere: dust/mist Method: Expert judgment

Acute dermal toxicity : Acute toxicity estimate: > 5,001 mg/kg

Method: Expert judgment

Skin corrosion/irritation

Not classified due to lack of data.

Product:

Remarks : May cause skin irritation and/or dermatitis.

Components:

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Species : reconstructed human epidermis (RhE)

Method : OECD Test Guideline 431 Result : Causes severe burns.

Serious eye damage/eye irritation

Not classified due to lack of data.

Product:

Remarks : Vapors may cause irritation to the eyes, respiratory system

and the skin.

Components:

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Result : Risk of serious damage to eyes.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

Respiratory sensitization

Not classified due to lack of data.

Product:

Remarks : Causes sensitization.

Components:

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Test Type : Local lymph node assay (LLNA)
Method : OECD Test Guideline 429

Result : The product is a skin sensitizer, sub-category 1A. The value is given in analogy to the following substances: 2-methyl-2H-isothiazol-3-one

Test Type : Maximization Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : positive

Remarks : Based on data from similar materials

The value is given in analogy to the following substances: 2-methyl-2H-isothiazol-3-one

Germ cell mutagenicity

Not classified due to lack of data.

Components:

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476

Result: negative

The value is given in analogy to the following substances: 2-

methyl-2H-isothiazol-3-one

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse (male and female)

Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

The value is given in analogy to the following substances: 2-

methyl-2H-isothiazol-3-one

Test Type: unscheduled DNA synthesis assay

Species: Rat (male and female)

Application Route: Oral Method: OECD Test Guideline 486

Result: negative



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

The value is given in analogy to the following substances: 2-

methyl-2H-isothiazol-3-one

Carcinogenicity

Not classified due to lack of data.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified due to lack of data.

Components:

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Effects on fetal development : Species: Rat

Application Route: Oral Dose: 40 mg/kg bw/day

Result: No effects on fetal development.

The value is given in analogy to the following substances: 2-

methyl-2H-isothiazol-3-one

STOT-single exposure

Not classified due to lack of data.

STOT-repeated exposure

Not classified due to lack of data.

Repeated dose toxicity

Components:

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Species : Rat

NOEL : 94 mg/kg bw/day

Application Route : Oral Exposure time : 90 d

Method : OECD Test Guideline 408

Remarks : No significant adverse effects were reported

No human information is available.

The value is given in analogy to the following substances: 2-methyl-2H-isothiazol-3-one

Species : Dog

NOAEL : 40.9 mg/kg bw/day

Application Route : Oral Exposure time : 90 d

Method : OECD Test Guideline 409

The value is given in analogy to the following substances: 2-methyl-2H-isothiazol-3-one



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

Aspiration toxicity

Not classified due to lack of data.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.77 mg/l

Exposure time: 96 h

Test Type: flow-through test

Method: OECD Test Guideline 203

The value is given in analogy to the following substances: 2-

methyl-2H-isothiazol-3-one

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2.33 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.289

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates

(Chronic toxicity)

NOEC (Daphnia magna (Water flea)): 0.0442 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

The value is given in analogy to the following substances: 2-

methyl-2H-isothiazol-3-one

Thermo-BSA-Streptavidin, inact., rec.:

Toxicity to fish : LC50 : > 100 mg/l

Exposure time: 96 h

Toxicity to fish (Chronic

toxicity)

: > 1 mg/l

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Persistence and degradability

Components:

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

Biodegradability : aerobic

Result: Not readily biodegradable.

Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Bioaccumulative potential

Components:

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Bioaccumulation Remarks: No bioaccumulation is to be expected (log Pow <=

Partition coefficient: n-

: log Pow: ca. -0.44 (68 °F / 20 °C) Method: OECD Test Guideline 107 octanol/water

Thermo-BSA-Streptavidin, inact., rec.:

Partition coefficient: n-

octanol/water

: Remarks: No data available

Mobility in soil No data available

Other adverse effects

Product:

Ozone-Depletion Potential Regulation: 40 CFR Protection of Environment; Part 82

Protection of Stratospheric Ozone - CAA Section 602 Class I

Remarks: This product neither contains, nor was

manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +

B).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Can be disposed as waste water, when in compliance with

local regulations.

Contaminated packaging Empty remaining contents.

Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Domestic regulation

49 CFR

Not regulated as a dangerous good

Special precautions for user

Remarks : Not dangerous goods in the meaning of ADR/RID, ADN,

IMDG-Code, ICAO/IATA-DGR

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitization

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Sodium phosphate 10028-24-7 $\Rightarrow 1 - < 5\%$

dibasic dihydrate

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section

307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

Sodium phosphate dibasic dihydrate 10028-24-7

Pennsylvania Right To Know

Water 7732-18-5 Sodium phosphate dibasic dihydrate 10028-24-7

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

The ingredients of this product are reported in the following inventories:

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

Bovine Serum Albumin

MAB / PAB

hydroxyl-2-pyridone

PAK<->R-IGG(DET)

Thermo-BSA-Streptavidin, inact., rec.

NZIoC : Not in compliance with the inventory

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

IECSC : Not in compliance with the inventory

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

TECI: Not in compliance with the inventory

TSCA list


No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 08-29-2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8 / 2304



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

SECTION 1. IDENTIFICATION

Product name : SA COAT-BEAD ELECSYS (BOTTLE)

Manufacturer or supplier's details

Company name of supplier : Roche Diagnostics

-

Address : 9115 Hague Road

Indianapolis, IN 46250

USA

Telephone : 1-800-428-5074

Emergency telephone

In case of emergencies: : CHEMTREC 1-800-424-9300 (U.S. or

Canada) 1-703-527-3887 (International)

Recommended use of the chemical and restrictions on use

Restrictions on use : For professional users only.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization : Category 1

GHS label elements

Hazard pictograms :

Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.

Precautionary Statements : Prevention:

P261 Avoid breathing mist or vapors.

P272 Contaminated work clothing must not be allowed out of

the workplace.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention.



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

P363 Wash contaminated clothing before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
.alphaD-Glucopyranoside, .betaD-	57-50-1	>= 1 - < 5
fructofuranosyl		
1-Piperazineethanesulfonic acid, 4-	7365-45-9	>= 1 - < 5
(2-hydroxyethyl)-		
3(2H)-Isothiazolone, 2-methyl-,	26172-54-3	>= 0.0015 - < 0.1
hydrochloride (1:1)		

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this material safety data sheet to the doctor in

attendance.

Do not leave the victim unattended.

If inhaled : Move to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Rinse mouth with water.

Most important symptoms and effects, both acute and

May cause an allergic skin reaction.



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

delayed

Notes to physician : The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

No information available.

Hazardous combustion

products

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Further information : The product itself does not burn.

Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Special protective equipment:

for fire-fighters

Wear self-contained breathing apparatus for firefighting if

necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes.



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on storage conditions

See label, package insert or internal guidelines

Further information on storage stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
.alphaD-Glucopyranoside, .betaD-fructofuranosyl	57-50-1	TWA	10 mg/m3	ACGIH
		TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	15 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0

Engineering measures : No data available

Personal protective equipment

Respiratory protection : In the case of vapor formation use a respirator with an

approved filter.

Hand protection

In case of contact through splashing:



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

Material : Nitrile rubber
Break through time : > 30 min
Glove thickness : > 0.11 mm

In case of full contact:

Material : butyl-rubber
Break through time : > 480 min
Glove thickness : > 0.4 mm

Remarks : Wear appropriate protective gloves to prevent skin contact.

Replace torn or punctured gloves promptly.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid, Beads

Color : clear, colorless, red brown

Odor : odorless

Odor Threshold : No data available

pH : 7.1 - 7.4

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : does not flash

Evaporation rate : No data available

Flammability (solid, gas) : The product is not flammable., Does not sustain combustion.

Flammability (liquids) : Does not sustain combustion.

Self-ignition : Not applicable

Upper explosion limit / Upper : No data available



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

flammability limit

Lower explosion limit / Lower : No data available

flammability limit

No data available Vapor pressure

Relative vapor density : No data available

Relative density No data available

Density 1.01 g/cm3 (68 °F / 20 °C)

Solubility(ies)

Water solubility completely miscible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature No data available

No data available Decomposition temperature

Viscosity

No data available Viscosity, dynamic

Viscosity, kinematic No data available

Explosive properties : Not explosive

Expert judgment

Oxidizing properties The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity No dangerous reaction known under conditions of normal use.

Chemical stability Stable under normal conditions.

Possibility of hazardous

reactions

No decomposition if stored and applied as directed.

Conditions to avoid No data available

Incompatible materials No data available

Hazardous decomposition

products

: No decomposition if stored and applied as directed.

In case of fire hazardous decomposition products may be

produced such as: Carbon oxides



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

Nitrogen oxides (NOx)

Sulfur oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Components:

.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl:

Acute oral toxicity : LD50 Oral (Rat): 29,700 mg/kg

1-Piperazineethanesulfonic acid, 4-(2-hydroxyethyl)-:

Acute oral toxicity : LD50 Oral (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 423

GLP: yes

Assessment: The substance or mixture has no acute oral

toxicity

Remarks: No mortality observed at this dose.

Acute dermal toxicity : LD50 Dermal (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: No mortality observed at this dose.

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Acute oral toxicity : LD50 Oral (Rat, female): 175 mg/kg

Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat, male and female): 0.11 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: Corrosive to the respiratory tract. Remarks: Based on data from similar materials

The value is given in analogy to the following substances: 2-

methyl-2H-isothiazol-3-one

Acute dermal toxicity : LD50 Dermal (Rat, male): 246 mg/kg

Method: OECD Test Guideline 402

Remarks: Based on data from similar materials

The value is given in analogy to the following substances: 2-

methyl-2H-isothiazol-3-one

Skin corrosion/irritation

Not classified due to lack of data.



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

Product:

Remarks : May cause skin irritation and/or dermatitis.

Components:

1-Piperazineethanesulfonic acid, 4-(2-hydroxyethyl)-:

Species : Rabbit Exposure time : 4 h

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Species : reconstructed human epidermis (RhE)

Method : OECD Test Guideline 431 Result : Causes severe burns.

Serious eye damage/eye irritation

Not classified due to lack of data.

Product:

Remarks : Vapors may cause irritation to the eyes, respiratory system

and the skin.

Components:

1-Piperazineethanesulfonic acid, 4-(2-hydroxyethyl)-:

Species : Rabbit

Result : No eye irritation

Exposure time : 30 s

Method : OECD Test Guideline 405

GLP : yes

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Result : Risk of serious damage to eyes.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified due to lack of data.

Product:

Remarks : Causes sensitization.



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

Components:

1-Piperazineethanesulfonic acid, 4-(2-hydroxyethyl)-:

Test Type : Maximization Test

Species : Guinea pig

Assessment : Does not cause skin sensitization.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitization.

GLP : yes

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Test Type : Local lymph node assay (LLNA) Method : OECD Test Guideline 429

Result : The product is a skin sensitizer, sub-category 1A. The value is given in analogy to the following substances: 2-methyl-2H-isothiazol-3-one

Test Type : Maximization Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : positive

Remarks : Based on data from similar materials

The value is given in analogy to the following substances: 2-methyl-2H-isothiazol-3-one

Germ cell mutagenicity

Not classified due to lack of data.

Components:

.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

1-Piperazineethanesulfonic acid, 4-(2-hydroxyethyl)-:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: yes

Test Type: Microbial mutagenesis assay (Ames test)

Test system: Escherichia coli

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: yes

Test Type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

GLP: yes

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476

Result: negative

The value is given in analogy to the following substances: 2-

methyl-2H-isothiazol-3-one

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse (male and female)

Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

The value is given in analogy to the following substances: 2-

methyl-2H-isothiazol-3-one

Test Type: unscheduled DNA synthesis assay

Species: Rat (male and female)

Application Route: Oral

Method: OECD Test Guideline 486

Result: negative

The value is given in analogy to the following substances: 2-

methyl-2H-isothiazol-3-one

Carcinogenicity

Not classified due to lack of data.

Components:

.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl:

Remarks : No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

1-Piperazineethanesulfonic acid, 4-(2-hydroxyethyl)-:

Remarks : No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified due to lack of data.

Components:

1-Piperazineethanesulfonic acid, 4-(2-hydroxyethyl)-:

Effects on fetal development : Species: Rat, female

Application Route: Oral

Dose: 100, 300, 1000 mg/kg bw/day Duration of Single Treatment: 14 d

General Toxicity Maternal: NOEL: 1,000 mg/kg body weight Embryo-fetal toxicity.: NOEL: 1,000 mg/kg body weight

Method: OECD Test Guideline 414

GLP: yes

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Effects on fetal development : Species: Rat

Application Route: Oral Dose: 40 mg/kg bw/day

Result: No effects on fetal development.

The value is given in analogy to the following substances: 2-

methyl-2H-isothiazol-3-one

STOT-single exposure

Based on available data, the classification criteria are not met.

Product:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

Components:

.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Product:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Components:

.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl:

Assessment : The substance or mixture is not classified as specific target



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

1-Piperazineethanesulfonic acid, 4-(2-hydroxyethyl)-:

Species : Rat, male and female

NOEL : 1000 mg/kg

Application Route : Oral Exposure time : 28 d

Dose : 100, 300, 1000 mg/kg bw/day Method : OECD Test Guideline 407

GLP : yes

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Species : Rat

NOEL : 94 mg/kg bw/day

Application Route : Oral Exposure time : 90 d

Method : OECD Test Guideline 408

Remarks : No significant adverse effects were reported

No human information is available.

The value is given in analogy to the following substances: 2-methyl-2H-isothiazol-3-one

Species : Dog

NOAEL : 40.9 mg/kg bw/day

Application Route : Oral Exposure time : 90 d

Method : OECD Test Guideline 409

The value is given in analogy to the following substances: 2-methyl-2H-isothiazol-3-one

Aspiration toxicity

Not classified due to lack of data.

Components:

.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl:

No data available

Further information

Components:

.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl:

Remarks : Health injuries are not known or expected under normal use.



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

Components:

.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl:

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to

the environment

: No data available

1-Piperazineethanesulfonic acid, 4-(2-hydroxyethyl)-:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 100 mg/l

End point: mortality Exposure time: 96 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

End point: Growth rate Exposure time: 72 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 201

GLP: yes

NOEC (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

End point: Growth rate Exposure time: 72 h



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 201

GLP: yes

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l

End point: Respiration inhibition

Exposure time: 3 h Test Type: static test Analytical monitoring: no

Method: OECD Test Guideline 209

GLP: yes

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to

the environment

: No data available

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.77 mg/l

Exposure time: 96 h

Test Type: flow-through test

Method: OECD Test Guideline 203

The value is given in analogy to the following substances: 2-

methyl-2H-isothiazol-3-one

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2.33 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.289

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

NOEC (Daphnia magna (Water flea)): 0.0442 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

The value is given in analogy to the following substances: 2-

methyl-2H-isothiazol-3-one

Persistence and degradability

Components:

1-Piperazineethanesulfonic acid, 4-(2-hydroxyethyl)-:

Biodegradability : aerobic

Inoculum: activated sludge, non-adapted Result: Not readily biodegradable.



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 301D

GLP: yes

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Biodegradability : aerobic

Result: Not readily biodegradable.

Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Bioaccumulative potential

Components:

.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl:

Partition coefficient: n-

octanol/water

: log Pow: -3.7 (68 °F / 20 °C)

1-Piperazineethanesulfonic acid, 4-(2-hydroxyethyl)-:

Partition coefficient: n- : $\log \text{Pow}$: < -3.85 (68 °F / 20 °C)

octanol/water Method: OECD Test Guideline 107

GLP: yes

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <=

4).

Partition coefficient: n-

octanol/water

log Pow: ca. -0.44 (68 °F / 20 °C)

Method: OECD Test Guideline 107

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82

Protection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was

manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +

B).

Components:

1-Piperazineethanesulfonic acid, 4-(2-hydroxyethyl)-:

Additional ecological

information

: No data available



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Can be disposed as waste water, when in compliance with

local regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Domestic regulation

49 CFR

Not regulated as a dangerous good

Special precautions for user

Remarks : Not dangerous goods in the meaning of ADR/RID, ADN,

IMDG-Code, ICAO/IATA-DGR

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitization



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl 57-50-1

Pennsylvania Right To Know

Water 7732-18-5 .alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl 57-50-1

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

California Permissible Exposure Limits for Chemical Contaminants

.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl 57-50-1

The ingredients of this product are reported in the following inventories:

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

hydroxyl-2-pyridone

Beads



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

Impurity

NZIoC : Not in compliance with the inventory

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI: Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

TECI: Not in compliance with the inventory

TSCA list


No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA PO : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1

Limits for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

OSHA P0 / TWA : 8-hour time weighted average OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified: NFPA - National Fire Protection Association: NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations: UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 08-29-2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020

specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8 / 2304



beta-Amyloid(1-42) G2 Elecsys cobas e 60

Version Revision Date: Date of last issue: 08-29-2024 2.0 08-29-2024 Date of first issue: 06-09-2020